

Paddle Bits

BUTTON CHISEL BIT (Pull Back Hold Std.) For Hard, Rocky Soil

ITEM NO.	HOLE PATTERN	WIDTH	THK.	NET WT.
DH-06-P5-35-CB	5-Hole Ditch Witch -- 12 MM	3.5"	3/4"	6.0 lb.
DH-06-P5-40-CB	5-Hole Ditch Witch - 12MM	4.0"	3/4"	7.0 lb.
DH-06-P5-45-CB	5-Hole Ditch Witch - 12MM	4.5"	3/4"	8.0 lb.
DH-06-P5-50-CB	5-Hole Ditch Witch -- 12 MM	5.0"	3/4"	9.0 lb.
DH-06-P6-40-CB	6-Hole Ditch Witch -- 16 MM	4.0"	3/4"	9.0 lb.
DH-06-P6-45-CB	6-Hole Ditch Witch -- 16 MM	4.5"	3/4"	10.0 lb.
DH-06-P6-50-CB	6-Hole Ditch Witch -- 16 MM	5.0"	3/4"	11.0 lb.
DH-06-P7-35-CB	7-Hole Vermeer -- 1/2" X 13	3.5"	3/4"	7.0 lb.
DH-06-P7-40-CB	7-Hole Vermeer -- 1/2" X 13	4.0"	3/4"	9.0 lb.
DH-06-P7-45-CB	7-Hole Vermeer -- 1/2" X 13	4.5"	3/4"	10.0 lb.
DH-06-P7-50-CB	7-Hole Vermeer -- 1/2" X 13	5.0"	3/4"	11.0 lb.



RADIUS BUTTON BIT (Pull Back Hold Std.) For Rocky & Abrasive Soil

ITEM NO.	HOLE PATTERN	WIDTH	THK.	NET WT.
DH-06-P5-35-RB	5-Hole Ditch Witch -- 12 MM	3.5"	3/4"	6.0 lb.
DH-06-P5-40-RB	5-Hole Ditch Witch -- 12 MM	4.0"	3/4"	7.0 lb.
DH-06-P5-45-RB	5-Hole Ditch Witch -- 12 MM	4.5"	3/4"	7.5 lb.
DH-06-P5-50-RB	5-Hole Ditch Witch -- 12 MM	5.0"	3/4"	8.5 lb.
DH-06-P6-40-RB	6-Hole Ditch Witch -- 16 MM	4.0"	3/4"	8.0 lb.
DH-06-P6-45-RB	6-Hole Ditch Witch -- 16 MM	4.5"	3/4"	9.0 lb.
DH-06-P6-50-RB	6-Hole Ditch Witch -- 16 MM	5.0"	3/4"	9.5 lb.
DH-06-P7-35-RB	7-Hole Vermeer -- 1/2" X 13	3.5"	3/4"	7.5 lb.
DH-06-P7-40-RB	7-Hole Vermeer -- 1/2" X 13	4.0"	3/4"	8.0 lb.
DH-06-P7-45-RB	7-Hole Vermeer -- 1/2" X 13	4.5"	3/4"	9.0 lb.
DH-06-P7-50-RB	7-Hole Vermeer -- 1/2" X 13	5.0"	3/4"	10.5 lb.
DH-08-P6-50-RB	6-Hole Ditch Witch -- 16 MM	5.0"	1.0"	12.5 lb.
DH-08-P7-50-RB	7-Hole Vermeer -- 1/2" X 13	5.0"	1.0"	12.5 lb.



Paddle Bits

BUTTON TAPER BIT (Pull Back Hold Std.) For Hard, Rocky Soil

ITEM NO.	HOLE PATTERN	WIDTH	THK.	NET WT.
DH-06-P5-35-TB	5-Hole Ditch Witch - 12 MM	3.5"	3/4"	7.0 lb.
DH-06-P5-35-TB	5-Hole Ditch Witch - 12 MM	4.0"	3/4"	8.0 lb.
DH-06-P5-35-TB	5-Hole Ditch Witch - 12 MM	4.5"	3/4"	9.0 lb.
DH-06-P5-35-TB	5-Hole Ditch Witch - 12 MM	5.0"	3/4"	10.0 lb.
DH-06-P5-35-TB	6-Hole Ditch Witch - 16 MM	4.0"	3/4"	9.0 lb.
DH-06-P5-35-TB	6-Hole Ditch Witch - 16 MM	4.5"	3/4"	10.0 lb.
DH-06-P5-35-TB	6-Hole Ditch Witch - 16 MM	5.0"	3/4"	11.0 lb.
DH-06-P5-35-TB	7 -Hole Vermeer - 1/2" x 13	3.5"	3/4"	7.0 lb.
DH-06-P5-35-TB	7 -Hole Vermeer - 1/2" x 13	4.0"	3/4"	8.0 lb.
DH-06-P5-35-TB	7 -Hole Vermeer - 1/2" x 13	4.5"	3/4"	10.0 lb.
DH-06-P5-35-TB	7 -Hole Vermeer - 1/2" x 13	5.0"	3/4"	11.0 lb.



HARDFACED STEEP TAPER BIT (Pull Back Hold Std.)** For Sand, Wet Clay w/Cobble

ITEM NO.	HOLE PATTERN	WIDTH	THK .	NET WT.
DH-06-P5-35-STH	5-Hole Ditch Witch - 12 MM	3.5"	3/4"	6.0 lb.
DH-06-P5-40-STH	5-Hole Ditch Witch - 12 MM	4.0"	3/4"	6.5 lb.
DH-06-P5-45-STH	5-Hole Ditch Witch - 12 MM	4.5"	3/4"	7.0 lb.
DH-06-P5-50-STH	5-Hole Ditch Witch - 12 MM	5.0"	3/4"	7.5 lb.
DH-06-P6-40-STH	6-Hole Ditch Witch - 16 MM	4.0"	3/4"	7.0 lb.
DH-06-P6-45-STH	6-Hole Ditch Witch - 16 MM	4.5"	3/4"	7.5 lb.
DH-06-P6-50-STH	6-Hole Ditch Witch - 16 MM	5.0"	3/4"	8.0 lb.
DH-06-P6-60-STH	6-Hole Ditch Witch - 16 MM	6.0"	3/4"	9.0 lb.
DH-06-P6A-40-STH	6-Hole Ditch Witch - 16 MM	5.0"	1.0"	10.0 lb.
DH-06-P6A-45-STH	6-Hole Ditch Witch - 20 MM	6.0"	1.0"	11.0 Lb.
DH-06-P7-35-STH	7-Hole Vermeer - 1/2" x 13	3.5"	3/4"	6.5 Lb.
DH-06-P7-40-STH	7-Hole Vermeer - 1/2" x 13	4.0"	3/4"	7.0 Lb.
DH-06-P7-45-STH	7-Hole Vermeer - 1/2" x 13	4.5"	3/4"	7.5 Lb.
DH-06-P7-50-STH	7-Hole Vermeer - 1/2" x 13	5.0"	3/4"	8.0 Lb.
DH-06-P7-60-STH	7-Hole Vermeer - 1/2" x 13	6.0"	3/4"	7.5 Lb.

** Includes Tungsten Carbide Embedded Hardfacing



Paddle Bits

STEEL TAPER RIPPER BIT (Pull Back Hold Std.)** For Hardpan, Dry Clay & Compacted Soil

ITEM NO.	HOLE PATTERN	WIDTH	THK.	NET WT.
DH-06-P5-35-ARS	5-Hole Ditch Witch -- 12 MM	3.5"	3/4"	7.0 lb.
DH-06-P5-40-ARS	5-Hole Ditch Witch -- 12 MM	4.0"	3/4"	7.5 lb.
DH-06-P5-45-ARS	5-Hole Ditch Witch -- 12 MM	4.5"	3/4"	8.5 lb.
DH-06-P7-35-ARS	7-Hole Vermeer -- 1/2" X 13	3.5"	3/4"	8.0 lb.
DH-06-P7-40-ARS	7-Hole Vermeer -- 1/2" X 13	4.0"	3/4"	9.0 lb.
DH-06-P7-45-ARS	7-Hole Vermeer -- 1/2" X 13	4.5"	3/4"	10.0 lb.
DH-06-P7-50-ARS	7-Hole Vermeer -- 1/2" X 13	5.0"	3/4"	12.0 lb.



ANGLED CONICAL CLAW BIT (Pull Back Hold Std.)** For Rocky & Abrasive Soil

ITEM NO.	HOLE PATTERN	WIDTH	THK.	NET WT.
DH-06-P5-35-ACC	5-Hole Ditch Witch -- 12 MM	3.5"	3/4"	7.0 lb.
DH-06-P5-40-ACC	5-Hole Ditch Witch -- 12 MM	4.0"	3/4"	7.5 lb.
DH-06-P5-50-ACC	5-Hole Ditch Witch -- 12 MM	5.0"	3/4"	8.5 lb.
DH-06-P6-40-ACC	6-Hole Ditch Witch -- 16 MM	4.0"	3/4"	9.5 lb.
DH-06-P6-50-ACC	6-Hole Ditch Witch -- 16 MM	5.0"	3/4"	12.0 lb.
DH-06-P7-35-ACC	7-Hole Vermeer -- 1/2" X 13	3.5"	3/4"	8.5 lb.
DH-06-P7-40-ACC	7-Hole Vermeer -- 1/2" X 13	4.0"	3/4"	9.5 lb.
DH-06-P7-45-ACC	7-Hole Vermeer -- 1/2" X 13	4.5"	3/4"	10.5 lb.
DH-06-P7-50-ACC	7-Hole Vermeer -- 1/2" X 13	5.0"	3/4"	12.0 lb.
DH-06-P7-60-ACC	7-Hole Vermeer -- 1/2" X 13	6.0"	3/4"	14.0 lb.
DH-08-P6-40-ACC	6-Hole Ditch Witch -- 16 MM	4.0"	1.0"	13.0 lb.
DH-08-P6-50-ACC	6-Hole Ditch Witch -- 16 MM	5.0"	1.0"	16.0 lb.
DH-08-P6A-50-ACC	6-Hole Ditch Witch -- 20 MM	5.0"	1.0"	16.0 lb.
DH-08-P6A-60-ACC	6-Hole Ditch Witch -- 20 MM	6.0"	1.0"	18.0 lb.
DH-08-P7-40-ACC	7-Hole Vermeer -- 1/2" X 13	4.0"	1.0"	13.0 lb.
DH-08-P7-45-ACC	7-Hole Vermeer -- 1/2" X 13	4.5"	1.0"	14.5 lb.
DH-08-P7-50-ACC	7-Hole Vermeer -- 1/2" X 13	5.0"	1.0"	16.0 lb.
DH-08-P7-60-ACC	7-Hole Vermeer -- 1/2" X 13	6.0"	1.0"	18.0 lb.
DH-08-P8-50-ACC	7-Hole Vermeer -- 5/8" X 11	5.0"	1.0"	16.0 lb.
DH-08-P8-60-ACC	7-Hole Vermeer -- 5/8" X 11	6.0"	1.0"	18.0 lb.



** Includes Tungsten Carbide Embedded Hardfacing

Paddle Bits

“ROUGHNECK” RIPPER BIT**

For Sedimentary Rock, Hardpan, Dry Clay & Compacted Soil

ITEM NO.	HOLE PATTERN	WIDTH	THK.	NET WT.
DH-06-P5-40-SR	5-Hole Ditch Witch – 12 MM	4.0"	3/4"	7.5 lb.
DH-06-P5-50-SR	5-Hole Ditch Witch – 12 MM	5.0"	3/4"	10.0 lb.
DH-06-P6-40-SR	6-Hole Ditch Witch – 16 MM	4.0"	3/4"	9.5 lb.
DH-06-P6-50-SR	6-Hole Ditch Witch – 16 MM	5.0"	3/4"	12.0 lb.
DH-08-P6A-50-SR	6-Hole Ditch Witch – 20 MM	5.0"	1.0"	12.5 lb.
DH-08-P6A-60-SR	6-Hole Ditch Witch – 20 MM	6.0"	1.0"	13.0 lb.
DH-06-P7-40-SR	7-Hole Vermeer – 1/2" X 13	4.0"	3/4"	9.5 lb.
DH-06-P7-50-SR	7-Hole Vermeer – 1/2" X 13	5.0"	3/4"	12.0 lb.
DH-08-P7-40-SR	7-Hole Vermeer – 1/2" X 13	4"	1"	13.0 lb.
DH-08-P7-50-SR	7-Hole Vermeer – 1/2" X 13	5"	1"	14.0 lb.
DH-08-P7-60-SR	7-Hole Vermeer – 1/2" X 13	6.0"	1.0"	15.0 lb.



** Includes Tungsten Carbide Embedded Hardfacing

“ROUGHNECK” STEEP TAPER BIT**

Sedimentary Rock, Hardpan, Dry Clay & Compacted Soil

ITEM NO.	HOLE PATTERN	WIDTH	THK.	NET WT.
DH-06-P5-35-XR	5-Hole Ditch Witch -- 12 MM	3.5"	3/4"	7.0 lb.
DH-06-P5-40-XR	5-Hole Ditch Witch -- 12 MM	4.0"	3/4"	7.5 lb.
DH-06-P6-40-XR	6-Hole Ditch Witch -- 16 MM	4.0"	3/4"	9.5 lb.
DH-06-P6-50-XR	6-Hole Ditch Witch -- 16 MM	5.0"	3/4"	12.0 lb.
DH-06-P7-40-XR	7-Hole Vermeer -- 1/2" X 13	4.0"	3/4"	9.5 lb.
DH-06-P7-45-XR	7-Hole Vermeer -- 1/2" X 13	4.5"	3/4"	9.5 lb.
DH-06-P7-50-XR	7-Hole Vermeer -- 1/2" X 13	5.0"	3/4"	12.0 lb.
DH-06-P7-60-XR	7-Hole Vermeer -- 1/2" X 13	6.0"	3/4"	12.0 lb.

** Includes Tungsten Carbide Embedded Hardfacing



PADDLE BIT (PADDLE BIT) BOLTS

ITEM NO.	DESCRIPTION	NET. WT.
260026005	1/2" x 1" x 13 Thd. - Vermeer (6 pack)	0.5 oz.
260026010	5/8" x 1" x 11 Thd. - Vermeer (6 pack)	0.5 oz.
260026015	12 MM x 20 MM x 1.75 MM - Ditch Witch (5 pack)	0.5 oz.
260026020	16 MM x 35 MM x 2.00 MM - Ditch Witch (6 pack)	0.5 oz.

PADDLE BIT (PADDLE BIT) BOLTS

ITEM NO.	DESCRIPTION	NET. WT.
260026005	3/8" Long Arm Hex Key fits 1/2" Bolts	0.5 oz.
260026006	1/2" Long Arm Hex Key fits 5/8" Bolts	0.5 oz.
260026011	10 MM Long Arm Hex Key fits 12 MM Bolts	0.5 oz.
260026016	14 MM Long Arm Hex Key fits 16 MM Bolts	0.5 oz.

Paddle Bits

ECONOMY CHISEL BIT (Pull Back Hold Std.) For Normal Soil Conditions

ITEM NO.	HOLE PATTERN	WIDTH	THK.	NET WT.
DH-06-P5-35-CE	5-Hole Ditch Witch -- 12 MM	3.5"	3/4"	6.0 lb.
DH-06-P5-40-CE	5-Hole Ditch Witch -- 12 MM	4.0"	3/4"	7.0 lb.
DH-06-P5-45-CE	5-Hole Ditch Witch -- 12 MM	4.5"	3/4"	8.0 lb.
DH-06-P5-50-CE	5-Hole Ditch Witch -- 12 MM	5.0"	3/4"	9.5 lb.
DH-06-P6-40-CE	6-Hole Ditch Witch -- 16 MM	4.0"	3/4"	7.5 lb.
DH-06-P6-45-CE	6-Hole Ditch Witch -- 16 MM	4.5"	3/4"	8.5 lb.
DH-06-P6-50-CE	6-Hole Ditch Witch -- 16 MM	5.0"	3/4"	9.5 lb.
DH-08-P6A-50-CE	6-Hole Ditch Witch -- 20 MM	5.0"	1.0"	10.0 lb.
DH-08-P6A-60-CE	6-Hole Ditch Witch -- 20 MM	6.0"	1.0"	10.5 lb.
DH-06-P7-35-CE	7-Hole Vermeer -- 1/2" X 13	3.5"	3/4"	6.0 lb.
DH-06-P7-40-CE	7-Hole Vermeer -- 1/2" X 13	4.0"	3/4"	7.0 lb.
DH-06-P7-45-CE	7-Hole Vermeer -- 1/2" X 13	4.5"	3/4"	9.0 lb.
DH-06-P7-50-CE	7-Hole Vermeer -- 1/2" X 13	5.0"	3/4"	10.0 lb.
DH-08-P7-40-CE	7-Hole Vermeer -- 1/2" X 13	4.0"	1.0"	10.5 lb.
DH-08-P7-45-CE	7-Hole Vermeer -- 1/2" X 13	4.5"	1.0"	11.5 lb.
DH-08-P7-50-CE	7-Hole Vermeer -- 1/2" X 13	5.0"	1.0"	12.5 lb.



HARDFACED CHISEL BIT (Pull Back Hold Std.)** For Sand & Sandy Soil

ITEM NO.	HOLE PATTERN	WIDTH	THK.	NET WT.
DH-06-P5-35-CH	5-Hole Ditch Witch -- 12 MM	3.5"	3/4"	7.0 lb.
DH-06-P5-40-CH	5-Hole Ditch Witch -- 12 MM	4.0"	3/4"	8.0 lb.
DH-06-P5-45-CH	5-Hole Ditch Witch -- 12 MM	4.5"	3/4"	9.0 lb.
DH-06-P5-50-CH	5-Hole Ditch Witch -- 12 MM	5.0"	3/4"	10.0 lb.
DH-06-P6-40-CH	6-Hole Ditch Witch -- 16 MM	4.0"	3/4"	9.0 lb.
DH-06-P6-45-CH	6-Hole Ditch Witch -- 16 MM	4.5"	3/4"	10.0 lb.
DH-06-P6-50-CH	6-Hole Ditch Witch -- 16 MM	5.0"	3/4"	11.0 lb.
DH-06-P6A-50-CH	6-Hole Ditch Witch -- 20 MM	5.0"	1.0"	12.0 lb.
DH-06-P6A-60-CH	6-Hole Ditch Witch -- 20 MM	6.0"	1.0"	12.5 lb.
DH-06-P7-35-CH	7-Hole Vermeer -- 1/2" X 13	3.5"	3/4"	7.0 lb.
DH-06-P7-40-CH	7-Hole Vermeer -- 1/2" X 13	4.0"	3/4"	8.0 lb.
DH-06-P7-45-CH	7-Hole Vermeer -- 1/2" X 13	4.5"	3/4"	10.0 lb.
DH-06-P7-50-CH	7-Hole Vermeer -- 1/2" X 13	5.0"	3/4"	11.0 lb.
DH-08-P7-40-CH	7-Hole Vermeer -- 1/2" X 13	4.0"	1"	11.0 lb.
DH-08-P7-45-CH	7-Hole Vermeer -- 1/2" X 13	4.5"	1.0"	12.0 lb.
DH-08-P7-50-CH	7-Hole Vermeer -- 1/2" X 13	5.0"	1.0"	13.0 lb.

** Includes Tungsten Carbide Embedded Hardfacing

